Journal of Immunological Methods, 167 (1994) 303–304
Elsevier Science B.V.

Contents to volume 167 (1994)

Numbers 1–2 – 3 January 1994

Research reports

The amido black assay: a simple and quantitative multipurpose test of adhesion, proliferation, and cytotoxicity in microplate cultures of keratinocytes (HaCaT) and other cell types growing adherently or in suspension
J. Schulz, S. Dettlaff, U. Fritzsche, U. Harms, H. Schiebel, W. Derer, N.E. Fusenig, A. Hülsen and M. Böhm (Germany) 1

A dot-immunobinding assay for the demonstration of soluble Fcγ receptors
E.K. Kristoffersen, R. Matre, E. Ulvestad and C.A. Vedeler (Norway) 15

The standard $\chi 2$ test used in limiting dilution assays is insufficient for estimating the goodness-of-fit to the single-hit Poisson model
T. Bonnefoix and J.-J. Sotto (France) 21

Evaluation of different methods for the detection of outer membrane proteins and lipopolysaccharides of *Pasteurella haemolytica* by immunoblotting
R.L. Davies, R. Parton, J.G. Coote, H.A. Gibbs and J.H. Freer (UK) 35

Non-isotopic in situ detection of mRNA for interleukin-4 in archival human tissue
L. Bromley, S.P. McCarthy, J.E. Stickland, C.E. Lewis and J.O.D. McGee (UK) 47

An assay for the analysis of lymphocyte migration across cerebral endothelium in vitro
G. Pryce, W. Santos and D. Male (UK) 55

Dual staining of lymphocyte membrane antigens with colloidal gold and biotinylated horseradish peroxidase
C.E. Gibson, I.A. Penttila, A.S.-Y. Leong, J. Milios, H. Zola and J.T. LaBrooy (Australia) 65

Isolation of immature and mature T cell receptor complexes by lectin affinity chromatography
K.P. Kearse and A. Singer (USA) 75

Rapid nonradioactive in situ hybridization for interleukin-2 mRNA with riboprobes generated using the polymerase chain reaction
P.E. Birk and P.C. Grimm (Canada) 83

Quantitation of the receptor for urokinase plasminogen activator by enzyme-linked immunosorbent assay
E. Rønne, N. Behrendt, M. Ploug, H.J. Nielsen, E. Wöllisch, U. Weidle, K. Danø and G. Høyer-Hansen (Denmark, Germany) 91

Isolation of $CD3^-$, $CD4^-$, $CD8^-$, $IL\text{-}2R^+$ thymocyte precursors by panning
M. Small, A.S. Majumdar, M. Lieberman and I. Weissman (Israel, USA) 103

Enhanced IgG production in eRDF media with and without serum. A comparative study
F. Chua, S.K.W. Oh, M. Yap and W.K. Teo (Singapore) 109

Quantitation of ϵ-amino group using amino acids as reference standards by trinitrobenzene sulfonic acid. A simple spectrophotometric method for the estimation of hapten to carrier protein ratio
R.B. Sashidhar, A.K. Capoor and D. Ramana (India) 121

A method for in vitro synthesis of unglycosylated recombinant complement component C9
K.M. Taylor, J.P. Luzio and A.K. Campbell (UK) 129

The use of peptide ELISA in determining malaria endemicity
A. Roy, V.P. Sharma and V.S. Chauhan (India) 139

Large-scale expansion in interleukin-2 of tumor-infiltrating lymphocytes from patients with ovarian carcinoma for adoptive immunotherapy
R.S. Freedman, B. Tomasovic, S. Templin, E.N. Atkinson, A. Kudelka, C.L. Edwards and C.D. Platsoucas (USA) 145

A novel in situ model to study *Pneumocystis carinii* adhesion to lung alveolar epithelial cells
N. Pavia-Ruz, E. Ortega-Barria, J. Alroy and M.E.A. Pereira (USA) 161

Assay and purification of Fv fragments in fermenter cultures: design and evaluation of generic binding reagents
M.J. Berry, T.A.K. Wattam, J. Willets, N. Lindner, T. De Graaf, T. Hunt, M. Gani, P.J. Davis and P. Porter (UK) 173

Induction of low density and up-regulation of CD11b expression of neutrophils and eosinophils by dextran sedimentation and centrifugation
C. Berends, B. Dijkhuizen, J.G.R. De Monchy, J. Gerritsen and H.F. Kauffman (Netherlands) 183

Enzyme immunoassay detection of induction of MHC class I expression by synthetic peptides from the E6 and E7 regions of human papillomavirus type 16
J. Dillner (Sweden) 195

Purification and immunochemical characterization of a natural human polyreactive monoclonal IgM antibody
D. Roggenbuck, U. Marx, S.T. Kiessig, G. Schoenherr, S. Jahn and T. Porstmann (Germany) 207

DMISA (dissociated membrane immunosorbent assay), a new ELISA technique performed with blotted samples
C. Guérin-Marchand, T. Batard, V. Brodard, F.X. Desvaux, H. Sénéchal, B. David and G. Peltre (France) 219

Measurement of bactericidal/permeability-increasing protein in human body fluids by sandwich ELISA
M.L. White, J.K. Ma, C.A. Birr, P.W. Trown and S.F. Carroll (USA) 227

Comparison of a lysed whole blood method to purified cell preparations for lymphocyte immunophenotyping: differences between healthy controls and HIV-positive specimens
K.R. Tamul, M.R.G. O'Gorman, M. Donovan, J.L. Schmitz and J.D. Folds (USA) 237

The separation of the granulocytes from different rat strains. A comparative study
S. Szücs, C. Varga, I. Ember and P. Kertai (Hungary) 245

An ELISA for the measurement of human leukemia inhibitory factor in biological fluids and culture supernatants
D. De Groote, F. Fauchet, M. Jadoul, I. Dehart, S. Raher, Y. Gevaert, M. Lopez, R. Gathy, J.D. Franssen, D. Radoux, P. Franchimont, J.P. Soulillou, Y. Jacques and A. Godard (Belgium, France) 253

A scanning tunnelling microscopy comparison of passive antibody adsorption and biotinylated antibody linkage to streptavidin on microtiter wells
J. Davies, A.C. Dawkes, A.G. Haymes, C.J. Roberts, R.F. Sunderland, M.J. Wilkins, M.C. Davies, S.J.B. Tendler, D.E. Jackson and J.C. Edwards (UK) 263

A new vector for the high level expression of chimeric antibodies in myeloma cells
K. Shitara, K. Nakamura, Y. Tokutake-Tanaka, M. Fukushima and N. Hanai (Japan) 271

Two-stage selection of sequences from a random phage display library delineates both core residues and permitted structural range within an epitope
R.M. Miceli, M.E. DeGraaf and H.D. Fischer (USA) 279

Biochemical and functional characterization of soluble form of IL-5 receptor α (sIL-5Rα). Development of ELISA system for detection of sIL-5Rα
Y. Kikuchi, M. Migita, S. Takaki, A. Tominaga and K. Takatsu (Japan) 289

Letter to the editors
TNF abrogates the response of the CT.4S cell line to IL-4
F. Ramsdell, K.S. Picha, M.S. Seaman and M.K. Kennedy (USA) 299

Contents to volume 167 (1994) 303

Notes to authors 305